

1994 Index

IEEE Transactions on Energy Conversion

Vol. 9

This index covers all technical items — papers, correspondence, reviews, — that appeared in this periodical during 1994, and items from previous years that were commented upon or corrected in 1994.

The Author Index contains the primary entry for each item, listed under the first author's name, and cross-references from all coauthors. The Subject Index contains several entries for each item under appropriate subject headings and subject cross-references.

It is always necessary to refer to the primary entry in the Author Index for exact title, coauthors, and comments/corrections.

AUTHOR INDEX

A

Awainem, S.M. Matching of a DC motor to a photovoltaic generator using a step-up converter with a current-locked loop; *T-EC Mar 94* 192-198

Alhamadi, M.A., and N.A. Demerdash. Three dimensional magnetic field computation by a coupled vector-scalar potential method in brushless DC motors with skewed permanent magnet mounts-the formulation and FE grids; *T-EC Mar 94* 1-14

Alhamadi, M.A., and N.A. Demerdash. Three dimensional magnetic field computation by a coupled vector-scalar potential method in brushless DC motors with skewed permanent magnet mounts-the no-load and load results; *T-EC Mar 94* 15-25

Alhamadi, M.A., and N.A. Demerdash. Modeling and experimental verification of the performance of a skew mounted permanent magnet brushless DC motor drive with parameters computed from 3D-FE magnetic field solutions; *T-EC Mar 94* 26-35

Z., T.S. Sidhu, and R.J. Fleming. Stability investigation of a longitudinal power system and its stabilization by a coordinated application of power system stabilizers; *T-EC Sep 94* 466-474

Kadan, A.A., and B.W. Kielgas. Switched reluctance motor drive systems dynamic performance prediction and experimental verification; *T-EC Mar 94* 36-44

Kadan, A.A., and B.W. Kielgas. Switched reluctance motor drive systems dynamic performance prediction under internal and external fault conditions; *T-EC Mar 94* 45-52

Kadan, A.A., see Vyas, R., T-EC Jun 94 413-419

gharian, R. T-EC Sep 94 475-481

B

irtkizis, A.G., see Saramourtsis, A.C., T-EC Dec 94 743-752

an, A., see Verma, S.P., T-EC Jun 94 404-412

rtton, T.H., see Gordon, C., T-EC Jun 94 323-329

rgmann, C., see Poloujadoff, M., T-EC Dec 94 659-664

ya, K., R. Pintelon, J. Schoukens, P. Lataire, P. Guillaume, B. Mpanda-Mabwe, and M. Delhay. Identification of synchronous machines parameters using broadband excitations; *T-EC Jun 94* 270-280

ri, R.L., see Schoenung, S.M., T-EC Jun 94 231-237

rowy, B.S., and Z.M. Salameh. Optimum photovoltaic array size for a hybrid wind/PV system; *T-EC Sep 94* 482-488

uzguenda, M., see Rahman, S., T-EC Jun 94 224-230

andt, J.R., see Yu, D.C., T-EC Jun 94 263-269

emner, J.J., see Hammons, T.J., T-EC Sep 94 503-513

sey, R.G., see Campbell, S.R., T-EC Jun 94 281-287

stamante, P., see Yao, Y., T-EC Jun 94 256-262

C

mpbell, S.R., G.C. Stone, H.G. Sedding, G.S. Klempner, W. McDermid, and R.G. Bussey. Practical on-line partial discharge tests for turbine generators and motors; *T-EC Jun 94* 281-287

abane, M., see Laporte, B., T-EC Sep 94 604-612

an, C.C., Lietong Yan, Pizhang Chen, Zezhong Wang, and K.T. Chau. Analysis of electromagnetic and thermal fields for induction motors during starting; *T-EC Mar 94* 53-60

Chan, T.F. Steady-state analysis of self-excited induction generators; *T-EC Jun 94* 288-296

Chang, T.-Y., see Pan, C.-T., T-EC Dec 94 645-651

Chau, K.T., see Chan, C.C., T-EC Mar 94 53-60

Chen, G.P., see Zhang, Y., T-EC Sep 94 433-441

Cheres, E., Z.J. Palmor, and J. Tuch. Drum-type boiler following control configuration; *T-EC Mar 94* 199-205

Chiang-Tsung Huang, Yung-Tien Chen, Chung-Liang Chang, Chiung-Yi Huang, Hsiao-Dong Chiang, and Jin-Cheng Wang. On-line measurement-based model parameter estimation for synchronous generators: model development and identification schemes; *T-EC Jun 94* 330-336

Chiang-Tsung Huang, see Jin-Cheng Wang, T-EC Jun 94 337-343

Chiba, A., T. Deido, T. Fukao, and M.A. Rahman. An analysis of bearingless AC motors; *T-EC Mar 94* 61-68

Chiew-Yann Chiou, see Jin-Cheng Wang, T-EC Jun 94 337-343

Ching-Tsai Pan, see Ting-Yu Chang, T-EC Jun 94 297-303

Chiung-Yi Huang, see Chiang-Tsung Huang, T-EC Jun 94 330-336

Christaki, E., see Poloujadoff, M., T-EC Dec 94 659-664

Chung-Liang Chang, see Chiang-Tsung Huang, T-EC Jun 94 330-336

Chung-Liang Chang, see Jin-Cheng Wang, T-EC Jun 94 337-343

Collins, E.R., Jr., and Y. Huang. A programmable dynamometer for testing rotating machinery using a three-phase induction machine; *T-EC Sep 94* 521-527

Czarnecki, L.S., and O.T. Tan. Evaluation and reduction of harmonic distortion caused by solid state voltage controllers of induction motors; *T-EC Sep 94* 528-534

D

David, A.K., see Wong, K.P., T-EC Jun 94 243-249

Davis, H.R., see Fostiak, R.J., T-EC Mar 94 206-213

Deido, T., see Chiba, A., T-EC Mar 94 61-68

de Kock, J.A., F.S. van der Merwe, and H.J. Vermeulen. Induction motor parameter estimation through an output error technique; *T-EC Mar 94* 69-76

Delhay, M., see Beya, K., T-EC Jun 94 270-280

Demerdash, N.A., see Alhamadi, M.A., T-EC Mar 94 1-14

Demerdash, N.A., see Alhamadi, M.A., T-EC Mar 94 15-25

Demerdash, N.A., see Alhamadi, M.A., T-EC Mar 94 26-35

Dent, R.A., and Z. Dacic. Adjustable speed drives improve circulating water system; *T-EC Sep 94* 496-502

Derbel, N., A. Ouali, M.B.A. Kamoun, and M. Poloujadoff. Two step three time scale reduction of doubly fed machine models; *T-EC Mar 94* 77-84

Deshu Chen, see Yijia Cao, T-EC Sep 94 489-495

Dacic, Z., see Dent, R.A., T-EC Sep 94 496-502

Dokopoulos, P.S., see Saramourtsis, A.C., T-EC Dec 94 743-752

Domijan, A., Jr., and Yuxin Yin. Single phase induction machine simulation using the Electromagnetic Transients Program: theory and test cases; *T-EC Sep 94* 535-542

Dorrell, D.G., and A.C. Smith. Calculation of UMP in induction motors with series or parallel winding connections; *T-EC Jun 94* 304-310

E

El-Samahy, A.A., M.A. El-Sharkawi, and S.M. Sharaf. Adaptive multi-layer self-tuning high performance tracking control for DC brushless motor; *T-EC Jun 94* 311-316

El-Samahy, A.A., see El-Sharkawi, M.A., T-EC Jun 94 317-322

El-Sayed, M.I., see El-Sharkawi, M.A., T-EC Jun 94 317-322

El-Sharkawi, M.A., see El-Samahy, A.A., T-EC Jun 94 311-316

El-Sharkawi, M.A., A.A. El-Samahy, and M.I. El-Sayed. High performance drive of DC brushless motors using neural network; *T-EC Jun 94* 317-322

F

Fang GongYao, see Zhang He, T-EC Mar 94 186-191

Findlay, R.D., N. Stranges, and D.K. MacKay. Losses due to rotational flux in three phase induction motors; *T-EC Sep 94* 543-549

Fink, W.T., see Penman, J., T-EC Dec 94 652-658

Fleming, R.J., see Ao, Z., T-EC Sep 94 466-474

- Foss, B.A., see Uhlen, K., *T-EC Dec 94* 701-708
 Fostiak, R.J., and H.R. Davis. Electrical features of the Rocky Mountain pumped-storage project; *T-EC Mar 94* 206-213
 Fukao, T., see Chiba, A., *T-EC Mar 94* 61-68

G

- Gavanidou, E.S., see Saramourtsis, A.C., *T-EC Dec 94* 743-752
 Ghorashi, A.H., S.S. Murthy, B.P. Singh, and B. Singh. Analysis of wind driven grid connected induction generators under unbalanced grid conditions; *T-EC Jun 94* 217-223
 Gjosaeter, O.B., see Uhlen, K., *T-EC Dec 94* 701-708
 Goodeve, T.E., see Lyles, J.F., *T-EC Sep 94* 620-627
 Goodeve, T.E., see Lyles, J.F., *T-EC Sep 94* 628-635
 Gordon, C., and T.H. Barton. Reluctance distribution modelling of saturated salient pole synchronous machines; *T-EC Jun 94* 323-329
 Guillaume, P., see Beya, K., *T-EC Jun 94* 270-280
 Gutierrez-Vera, J. Use of renewable sources of energy in Mexico case: San Antonio Agua Bendita; *T-EC Sep 94* 442-450

H

- Hagman, W.H., see Kirtley, J.L., *T-EC Jun 94* 349-358
 Hammons, T.J., and S.C. Lai. Voltage dips due to direct connection of induction generators in low head hydro electric schemes; *T-EC Sep 94* 460-465
 Hammons, T.J., and J.J. Bremner. Stressing of turbine-generator-exciter shafts by variable-frequency currents superimposed on DC currents in asynchronous HVDC links and following disturbances at converter stations; *T-EC Sep 94* 503-513
 Hasan, A.R., T.S. Martis, and A.H.M.S. Ula. Design and implementation of a fuzzy controller based automatic voltage regulator for a synchronous generator; *T-EC Sep 94* 550-557
 Hiloolwala, R.M., and A.M. Sharaf. A utility interactive wind energy conversion scheme with an asynchronous DC link using a supplementary control loop; *T-EC Sep 94* 558-563
 Hiyama, T. Robustness of fuzzy logic power system stabilizers applied to multimachine power system; *T-EC Sep 94* 451-459
 Hiyama, T., M. Kugimiya, and H. Satoh. Advanced PID type fuzzy logic power system stabilizer; *T-EC Sep 94* 514-520
 Hiyama, T. Real time control of micro-machine system using micro-computer based fuzzy logic power system stabilizer; *T-EC Dec 94* 724-731
 Hong, C.-M., see Pan, C.-T., *T-EC Dec 94* 645-651
 Hope, G.S., see Zhang, Y., *T-EC Sep 94* 433-441
 Hope, G.S., see Yijia Cao, *T-EC Sep 94* 489-495
 Hsiao-Dong Chiang, see Chiang-Tsung Huang, *T-EC Jun 94* 330-336
 Hsiao-Dong Chiang, see Jin-Cheng Wang, *T-EC Jun 94* 337-343
 Hsu, J.S., and J. Stein. Effects of eccentricities on shaft signals studied through windless rotors; *T-EC Sep 94* 564-571
 Hsu, J.S., and J. Stein. Shaft signals of salient-pole synchronous machines for eccentricity and shorted-field-coil detections; *T-EC Sep 94* 572-578
 Huang, C.-L., see Wang, L., *T-EC Dec 94* 770-777
 Huang, Y., see Collins, E.R., Jr., *T-EC Sep 94* 521-527

I

- Iravani, M.R., see Xiao, Y., *T-EC Dec 94* 717-723

J

- Jancauskas, J.R. A recommended approach for calculating degraded voltage relay setpoints for nuclear generating stations; *T-EC Mar 94* 173-178
 Jarnal, N., see Yu, D.C., *T-EC Jun 94* 263-269
 Jha, C.S., see Shridhar, L., *T-EC Jun 94* 390-396
 Jin-Cheng Wang, see Chiang-Tsung Huang, *T-EC Jun 94* 330-336
 Jin-Cheng Wang, Hsiao-Dong Chiang, Chiang-Tsung Huang, Yung-Tien Chen, Chung-Liang Chang, and Chiew-Yann Chiou. On-line measurement-based model parameter estimation for synchronous generators: solution algorithm and numerical studies; *T-EC Jun 94* 337-343
 Jobing, R., F.S. van der Merwe, and M.J. Kamper. Digital implementation of bus clamped space vector modulation; *T-EC Jun 94* 344-348

K

- Kamoun, M.B.A., see Derbel, N., *T-EC Mar 94* 77-84

- Kamper, M.J., see Jobing, R., *T-EC Jun 94* 344-348
 Kamwa, I., P. Viarouge, and R. Mahfoudi. Phenomenological models of large synchronous machines from short-circuit tests during commissioning-classical/modern approach; *T-EC Mar 94* 85-97
 Kamwa, I., and P. Viarouge. On equivalent circuit structures for empirical modeling of turbine-generators; *T-EC Sep 94* 579-592
 Katagi, T., see Matsuki, J., *T-EC Mar 94* 126-134
 Katagi, T., see Matsuki, J., *T-EC Jun 94* 376-382
 Keyhani, A., H. Tsai, and T. Leksan. Maximum likelihood estimation of synchronous machine parameters from standstill time response data; *T-EC Mar 94* 98-114
 Keyhani, A., and H. Tsai. Identification of high-order synchronous generator models from SSFR test data; *T-EC Sep 94* 593-603
 Kielgas, B.W., see Arkadan, A.A., *T-EC Mar 94* 36-44
 Kielgas, B.W., see Arkadan, A.A., *T-EC Mar 94* 45-52
 Kimuro, H., T. Kusayanagi, F. Yamaguchi, K. Ohtsubo, and M. Morishita. Basic experimental results of liquid CO₂ injection into the deep ocean; *T-EC Dec 94* 732-735
 Kirtley, J.L., J.L. Smith, Jr., S.D. Umans, and W.H. Hagman. Ten MV air-gap armature winding: thermal, structural and dielectric results; *T-EC Jun 94* 349-358
 Klempner, G.S., see Campbell, S.R., *T-EC Jun 94* 281-287
 Kogan, V.I., J.H. Provanzana, and J.R. Michalec. An indirect approach for evaluating the availability of adjustable speed drive systems applied to large power plant motors; *T-EC Mar 94* 115-125
 Kugimiya, M., see Hiyama, T., *T-EC Sep 94* 514-520
 Kuie-Lin Lo, see Ting-Yu Chang, *T-EC Jun 94* 297-303
 Kuo, J.L., see Liu, C.T., *T-EC Jun 94* 366-375
 Kusayanagi, T., see Kimuro, H., *T-EC Dec 94* 732-735

L

- Lai, S.C., see Hammons, T.J., *T-EC Sep 94* 460-465
 Landy, C.F., see Walliser, R.F., *T-EC Mar 94* 152-158
 Landy, C.F., see Walliser, R.F., *T-EC Mar 94* 159-164
 Lansberry, J.E., and L. Wozniak. Adaptive hydrogenerator governor tuning with a genetic algorithm; *T-EC Mar 94* 179-185
 Laporte, B., M. Chabane, and F.M. Sargos. Application of a boundary integral method to the optimization of solid rotor machines; *T-EC Sep 94* 604-612
 Lataire, P., see Beya, K., *T-EC Jun 94* 270-280
 Lee, S.-M., see Wang, L., *T-EC Dec 94* 770-777
 Leksan, T., see Keyhani, A., *T-EC Mar 94* 98-114
 Lie, T.T., see Scharaf, A.M., *T-EC Dec 94* 753-759
 Lietong Yan, see Chan, C.C., *T-EC Mar 94* 53-60
 Lin Jiang, see Yijia Cao, *T-EC Sep 94* 489-495
 Lipo, T.A., see Matsuo, T., *T-EC Jun 94* 359-365
 Lipo, T.A., see Toliyat, H.A., *T-EC Dec 94* 695-700
 Liu, C.T., and J.L. Kuo. Transient analyses of transverse flux homopolar linear machines with unified prototype; *T-EC Jun 94* 366-375
 Liu ZhiHuam, see Zhang He, *T-EC Mar 94* 186-191
 Lloyd, B.A., see Penman, J., *T-EC Dec 94* 652-658
 Longya Xu, Yifan Tang, and Lurong Ye. Comparison study of rotor structure of doubly excited brushless reluctance machine by finite element analysis; *T-EC Mar 94* 165-172
 Lurong Ye, see Longya Xu, *T-EC Mar 94* 165-172
 Lyles, J.F., T.E. Goodeve, and H. Sedding. Parameters required to maximize a thermoset hydro-generator stator winding life. Part II-monitoring maintenance; *T-EC Sep 94* 628-635
 Lyles, J.F., T.E. Goodeve, and H. Sedding. Parameters required to maximize a thermoset hydro-generator stator winding life. Part I-design manufacture, installation; *T-EC Sep 94* 620-627

M

- MacKay, D.K., see Findlay, R.D., *T-EC Sep 94* 543-549
 Mahfoudi, R., see Kamwa, I., *T-EC Mar 94* 85-97
 Malik, O.P., see Zhang, Y., *T-EC Sep 94* 433-441
 Malik, O.P., see Yijia Cao, *T-EC Sep 94* 489-495
 Malik, O.P., see Xing-Yuan Li, *T-EC Sep 94* 613-619
 Martis, T.S., see Hasan, A.R., *T-EC Sep 94* 550-557
 Matsuki, J., T. Katagi, and T. Okada. Slot ripples in the damper windings of a salient-pole synchronous generator; *T-EC Mar 94* 126-134
 Matsuki, J., T. Katagi, and T. Okada. Damper windings phenomena in synchronous machines during system oscillations; *T-EC Jun 94* 376-382
 Matsuo, T., and T.A. Lipo. Rotor design optimization of synchronous reluctance machine; *T-EC Jun 94* 359-365
 McDermid, W., see Campbell, S.R., *T-EC Jun 94* 281-287
 Meier, W.R., see Schoenung, S.M., *T-EC Jun 94* 231-237
 Michalec, J.R., see Kogan, V.I., *T-EC Mar 94* 115-125

alec, J.R., see Timperley, J.E., *T-EC Dec 94* 686-694
 ammad, A.M., see Rahim, A.H.M.A., *T-EC Dec 94* 736-742
 shita, M., see Kimuro, H., *T-EC Dec 94* 732-735
 ada-Mabwe, B., see Beya, K., *T-EC Jun 94* 270-280
 hy, S.S., see Ghorashi, A.H., *T-EC Jun 94* 217-223

N

ra, B.S., see Vakser, B.D., *T-EC Mar 94* 143-151

O

ubo, K., see Kimuro, H., *T-EC Dec 94* 732-735
 ia, T., see Matsuki, J., *T-EC Mar 94* 126-134
 ia, T., see Matsuki, J., *T-EC Jun 94* 376-382
 a, S.S., see Svoboda, A.J., *T-EC Dec 94* 760-769
 li, A., see Derbel, N., *T-EC Mar 94* 77-84

P

nor, Z.J., see Cheres, E., *T-EC Mar 94* 199-205
 C.-T., T.-Y. Chang, and C.-M. Hong. A fixed structure discrete-time sliding mode controller for induction motor drives; *T-EC Dec 94* 645-651
 an, J., H.G. Sedding, B.A. Lloyd, and W.T. Fink. Detection and location of interturn short circuits in the stator windings of operating motors; *T-EC Dec 94* 652-658
 y, P., see Reynaud, J., *T-EC Jun 94* 383-389
 y, P., see Refoufi, L., *T-EC Dec 94* 665-672
 elon, R., see Beya, K., *T-EC Jun 94* 270-280
 ang Chen, see Chan, C.C., *T-EC Mar 94* 53-60
 ujadoff, M., see Derbel, N., *T-EC Mar 94* 77-84
 ujadoff, M., E. Christaki, and C. Bergmann. Univariant search: An opportunity to identify and solve conflict problems in optimization; *T-EC Dec 94* 659-664
 anzana, J.H., see Kogan, V.I., *T-EC Mar 94* 115-125

R

im, A.H.M.A., and A.M. Mohammad. Improvement of synchronous generator damping through superconducting magnetic energy storage systems; *T-EC Dec 94* 736-742
 man, M.A., see Chiba, A., *T-EC Mar 94* 61-68
 man, S., and M. Bouzguenda. A model to determine the degree of penetration and energy cost of large scale utility interactive photovoltaic systems; *T-EC Jun 94* 224-230
 shaw, R.S., see Yao, Y., *T-EC Jun 94* 256-262
 ufi, L., and P. Pillay. Harmonic analysis of slip energy recovery induction motor drives; *T-EC Dec 94* 665-672
 ert, K., see Vetter, W., *T-EC Dec 94* 709-716
 aud, J., and P. Pillay. Reclosing transients in induction machines including the effects of saturation of the magnetizing branch and a practical case study; *T-EC Jun 94* 383-389
 ards, G., and P.R.R. Sarma. Reduced order models for induction motors with two rotor circuits; *T-EC Dec 94* 673-678
 rk, C. A review of lightning-related operating events at nuclear power plants; *T-EC Sep 94* 636-641

S

meh, Z.M., see Borowy, B.S., *T-EC Sep 94* 482-488
 mourtsis, A.C., A.G. Bakirtzis, P.S. Dokopoulos, and E.S. Gavanidou. Probabilistic evaluation of the performance of wind-diesel energy systems; *T-EC Dec 94* 743-752
 os, F.M., see Laporte, B., *T-EC Sep 94* 604-612
 na, P.R.R., see Richards, G., *T-EC Dec 94* 673-678
 h, H., see Hiyama, T., *T-EC Sep 94* 514-520
 raf, A.M., and T.T. Lie. ANN based pattern classification of synchronous generator stability and loss of excitation; *T-EC Dec 94* 753-759
 enung, S.M., W.R. Meier, and R.L. Bieri. Small SMES technology and cost reduction estimates; *T-EC Jun 94* 231-237
 ukens, J., see Beya, K., *T-EC Jun 94* 270-280
 ling, H., see Lyles, J.F., *T-EC Sep 94* 620-627
 ling, H., see Lyles, J.F., *T-EC Sep 94* 628-635
 ling, H.G., see Campbell, S.R., *T-EC Jun 94* 281-287
 ling, H.G., see Penman, J., *T-EC Dec 94* 652-658

Shaltout, A.A. Analysis of torsional torques in starting of large squirrel cage induction motors; *T-EC Mar 94* 135-142
 Sharaf, A.M., see Hilloomwala, R.M., *T-EC Sep 94* 558-563
 Sharaf, S.M., see El-Samahy, A.A., *T-EC Jun 94* 311-316
 Shijie Cheng, see Yijia Cao, *T-EC Sep 94* 489-495
 Shridhar, L., B. Singh, C.S. Jha, and B.P. Singh. Analysis of self excited induction generator feeding induction motor; *T-EC Jun 94* 390-396
 Sidhu, T.S., see Ao, Z., *T-EC Sep 94* 466-474
 Singh, B., see Ghorashi, A.H., *T-EC Jun 94* 217-223
 Singh, B., see Shridhar, L., *T-EC Jun 94* 390-396
 Singh, B.P., see Ghorashi, A.H., *T-EC Jun 94* 217-223
 Singh, B.P., see Shridhar, L., *T-EC Jun 94* 390-396
 Skaar, D.L. Circumventing the blocked rotor test when evaluating model elements of three phase induction motors; *T-EC Jun 94* 397-403
 Smith, A.C., see Dorrell, D.G., *T-EC Jun 94* 304-310
 Smith, J.L., Jr., see Kirtley, J.L., *T-EC Jun 94* 349-358
 Stein, J., see Hsu, J.S., *T-EC Sep 94* 564-571
 Stein, J., see Hsu, J.S., *T-EC Sep 94* 572-578
 Stemon, G.R., see Xiao, Y., *T-EC Dec 94* 717-723
 Stone, G.C., see Campbell, S.R., *T-EC Jun 94* 281-287
 Stranges, N., see Findlay, R.D., *T-EC Sep 94* 543-549
 Svoboda, A.J., and S.S. Oren. Integrating price-based resources in short-term scheduling of electric power systems; *T-EC Dec 94* 760-769

T

Tan, O.T., see Czarnecki, L.S., *T-EC Sep 94* 528-534
 Tang, Y., and L. Xu. Fuzzy logic application for intelligent control of a variable speed drive; *T-EC Dec 94* 679-685
 Throckmorton, P.J., and L. Wozniak. A generic DSP-based real-time simulator with application to hydrogenerator speed controller development; *T-EC Jun 94* 238-242
 Timperley, J.E., and J.R. Michalec. Estimating the remaining service life of asphalt-mica stator insulation; *T-EC Dec 94* 686-694
 Ting-Yu Chang, Kuie-Lin Lo, and Ching-Tsai Pan. A novel vector control hysteresis current controller for induction motor drives; *T-EC Jun 94* 297-303
 Toliyat, H.A., and T.A. Lipo. Analysis of concentrated winding induction machines for adjustable speed drive applications-experimental results; *T-EC Dec 94* 695-700
 Tsai, H., see Keyhani, A., *T-EC Mar 94* 98-114
 Tsai, H., see Keyhani, A., *T-EC Sep 94* 593-603
 Tuch, J., see Cheres, E., *T-EC Mar 94* 199-205

U

Uhlen, K., B.A. Foss, and O.B. Gjosaeter. Robust control and analysis of a wind-diesel hybrid power plant; *T-EC Dec 94* 701-708
 Ula, A.H.M.S., see Hasan, A.R., *T-EC Sep 94* 550-557
 Umans, S.D., see Kirtley, J.L., *T-EC Jun 94* 349-358

V

Vakser, B.D., and B.S. Nindra. Insulation problems in high voltage machines; *T-EC Mar 94* 143-151
 van der Merwe, F.S., see de Kock, J.A., *T-EC Mar 94* 69-76
 van der Merwe, F.S., see Jobing, R., *T-EC Jun 94* 344-348
 Verma, S.P., and A. Balan. Determination of radial-forces in relation to noise and vibration problems of squirrel-cage induction motors; *T-EC Jun 94* 404-412
 Vermeulen, H.J., see de Kock, J.A., *T-EC Mar 94* 69-76
 Vetter, W., and K. Reichert. Determination of damper winding and rotor iron currents in converter- and line-fed synchronous machines; *T-EC Dec 94* 709-716
 Viarouge, P., see Kamwa, I., *T-EC Mar 94* 85-97
 Viarouge, P., see Kamwa, I., *T-EC Sep 94* 579-592
 Vyas, R., and A.A. Arkadan. Effect of toothless stator design on the dynamic performance characteristics of high speed permanent magnet generator-load systems; *T-EC Jun 94* 413-419

W

Walliser, R.F., and C.F. Landy. Determination of interbar current effects in the detection of broken rotor bars in squirrel cage induction motors; *T-EC Mar 94* 152-158
 Walliser, R.F., and C.F. Landy. Assessment of interbar currents in double-cage induction motors with broken bars; *T-EC Mar 94* 159-164

- Wang, L., S.-M. Lee, and C.-L. Huang. Damping subsynchronous resonance using superconducting magnetic energy storage unit; *T-EC Dec 94* 770-777
- Wasynczuk, O. Analysis of line-commutated converters during unbalanced operating conditions; *T-EC Jun 94* 420-426
- Wenbiao Wang, *see* Yu, D.C., *T-EC Jun 94* 263-269
- Wong, K.P., and A.K. David. Competitive electricity: incentive contracts and bid parameters; *T-EC Jun 94* 243-249
- Woschnagg, E. Turbogenerator field winding shorted turn detection by AC flux measurement; *T-EC Jun 94* 427-431
- Wozniak, L., *see* Lansberry, J.E., *T-EC Mar 94* 179-185
- Wozniak, L., *see* Throckmorton, P.J., *T-EC Jun 94* 238-242

X

- Xiao, Y., G.R. Stemon, and M.R. Iravani. Implementation of an equivalent circuit approach to the analysis of synchronous machines; *T-EC Dec 94* 717-723
- Xi-Guang Zang, *see* Yu, D.C., *T-EC Jun 94* 263-269
- Xing-Yuan Li, and O.P. Malik. Performance of a double-star synchronous generator with bridge rectified output; *T-EC Sep 94* 613-619
- Xu, L., *see* Tang, Y., *T-EC Dec 94* 679-685

Y

- Yamaguchi, F., *see* Kimuro, H., *T-EC Dec 94* 732-735
- Yao, Y., P. Bustamante, and R.S. Ramshaw. Improvement of induction motor drive systems supplied by photovoltaic arrays with frequency control; *T-EC Jun 94* 256-262
- Yifan Tang, *see* Longya Xu, *T-EC Mar 94* 165-172
- Yijia Cao, Lin Jiang, Shijie Cheng, Deshu Chen, O.P. Malik, and G.S. Hope. A nonlinear variable structure stabilizer for power system stability; *T-EC Sep 94* 489-495
- Yu, D.C., N. Jarnal, Wenbiao Wang, Xi-Guang Zang, and J.R. Brandt. A graphical user interface for design, simulation and analysis of power plant electrical auxiliary systems; *T-EC Jun 94* 263-269
- Yuexin Yin, *see* Domijan, A., Jr., *T-EC Sep 94* 535-542
- Yung-Tien Chen, *see* Chiang-Tsung Huang, *T-EC Jun 94* 330-336
- Yung-Tien Chen, *see* Jin-Cheng Wang, *T-EC Jun 94* 337-343
- Yu Xichang, and Zhou Quanren. Practical implementation of the SCADA+AGC/ED system of the Hunan power pool in the central China power network; *T-EC Jun 94* 250-255

Z

- Zezhong Wang, *see* Chan, C.C., *T-EC Mar 94* 53-60
- Zhang, Y., O.P. Malik, G.S. Hope, and G.P. Chen. Application of an inverse input/output mapped ANN as a power system stabilizer; *T-EC Sep 94* 433-441
- Zhang He, Liu ZhiHuam, and Fang GongYao. Research on a super-small-scale MHD power system; *T-EC Mar 94* 186-191
- Zhou Quanren, *see* Yu Xichang, *T-EC Jun 94* 250-255

SUBJECT INDEX

A

- Acceleration control**
induction motor drives, fixed struct. discrete-time sliding mode controller. Pan, C.-T., +, *T-EC Dec 94* 645-651
- AC generator excitation; cf.** Power generation control, excitation; Synchronous generator excitation
- AC generators; cf.** Induction generators
- AC motor drives; cf.** Induction motor drives
- AC motors; cf.** Induction motors; Synchronous motors; Universal motors
- Acoustic noise; cf.** Rotating-machine acoustic noise
- Adaptive control**
brushless DC motor, adaptive multi-layer self-tuning tracking control. El-Samahy, A.A., +, *T-EC Jun 94* 311-316
hydrogenerator generator governor tuning, genetic algm.-based. Lansberry, J.E., +, *T-EC Mar 94* 179-185
PSS, inverse input/output mapped ANN. Zhang, Y., +, *T-EC Sep 94* 433-441

+ Check author entry for coauthors

Adaptive control; cf. Model reference adaptive control**Aging; cf.** Life estimation**Air gaps**sync. machine windingless rotors, eccentricity detect. method. Hsu, J., +, *T-EC Sep 94* 564-571**Air pollution**liquid CO₂, deep-ocean disposal via clathrate formation, expt. Kimuro, +, *T-EC Dec 94* 732-735**Algebra; cf.** Polynomials**Animation**squirrel cage motors, EM/thermal fields anal. Chan, C.C., +, *T-EC Mar 94* 53-60**ANSI standards**sync. machines, short-cct. tests, phenomenological models. Kamwa, I., *T-EC Mar 94* 85-97**Approximation methods**solid rotor elec. motors, design optim. method. Laporte, B., +, *T-EC Sep 94* 604-612**Automatic testing**three-phase induction motor testing, prog. dynamometer. Collins, E.R., +, *T-EC Sep 94* 521-527**Availability**power plant ASD systs., availability anal. Kogan, V.I., +, *T-EC Mar 94* 115-125**Availability; cf.** Maintenance

B

Batteriesvillage electrification, hybrid renewable energy syst. Gutierrez-Vera, *T-EC Sep 94* 442-450**Boundary integral equations**solid rotor elec. motors, design optim. method. Laporte, B., +, *T-EC Sep 94* 604-612**Breakdown; cf.** Dielectric breakdown**Bridge circuits**double-star sync. generator, bridge rectified output, perform. Xing-Yuan Li, +, *T-EC Sep 94* 613-619sync. machine power systs., params. ident., broadband excitations. Beylkin, K., +, *T-EC Jun 94* 270-280WECS, elec. utility asynchronous DC link control. Hilloowala, R.M., *T-EC Sep 94* 558-563**Brushless rotating machines**DC motor, adaptive multi-layer self-tuning tracking control. El-Samahy, A.A., +, *T-EC Jun 94* 311-316DC motor drives, ident./control, ANN. El-Sharkawi, M.A., +, *T-EC Jun 94* 317-322DC PM motor, 3D EM field FEM calcs. Alhamadi, M.A., +, *T-EC Mar 94* 1-14DC PM motor drives, perform. modelling/expts. Alhamadi, M.A., +, *T-EC Mar 94* 26-35DC PM motors, 3D FEM EM field calc. results. Alhamadi, M.A., +, *T-EC Mar 94* 15-25doubly excited brushless reluctance motor rotor struct., FEM. Longya Xu, +, *T-EC Mar 94* 165-172**Busbars**H_∞ optimal control PSS, robust design. Asgharian, R., *T-EC Sep 94* 475-481**Business economics; cf.** Power system economics

C

CAD; cf. Software packages**Capacitor motors**induction motors, simul., EMTP. Domijan, A., Jr., +, *T-EC Sep 94* 535-542**Capacitors; cf.** Synchronous capacitors**Carbon materials/devices**liquid CO₂, deep-ocean disposal via clathrate formation, expt. Kimuro, +, *T-EC Dec 94* 732-735**Circuit analysis**line-commutated power converter anal. under unbalanced operation. Wasynczuk, O., *T-EC Jun 94* 420-426**Circuit breakers**850 MW Rocky Mountain pumped-storage project, elec. equipt. overvoltage protection. Fostiak, R.J., +, *T-EC Mar 94* 206-213

† Check author entry for subsequent corrections/comments

uits; cf. Bridge circuits; Commutated circuits; Equivalent circuits; Filters; Switching circuits

ator windings, interturn short-cct. detect./location. *Penman, J.*, +, *T-EC Dec 94* 652-658

Commutated circuits

ouble-star sync. generator, bridge rectified output, perform. *Xing-Yuan Li*, +, *T-EC Sep 94* 613-619

ne-commutated power converter anal. under unbalanced operation. *Wasynczuk, O.*, *T-EC Jun 94* 420-426

/ECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563

Compensation

duction motor drive, harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534

Composite insulation

ynchronous generation, asphalt-mica stator insulation, remaining service life estim. *Timperley, J.E.*, +, *T-EC Dec 94* 686-694

puter-aided design; cf. Software packages

puter applications; cf. Microcomputer applications

puter graphics; cf. Animation

puter interfaces; cf. Graphical user interfaces

ductors; cf. Busbars; Power transmission lines

Continuous-time systems

power syst. sync. generator param. estim., online meas.-based. *Chiang-Tsung Huang*, +, *T-EC Jun 94* 330-336

ontrol systems; cf. Acceleration control; Adaptive control; Current control;

Digital control; Distributed control; Frequency control; Fuzzy control;

Intelligent control; Motor drives; Optimal control; Position control;

Power control; Power system control; Proportional control;

Regulators; Self-organizing control; Torque control;

Variable-structure systems; Velocity control; Voltage control

Divergence of numerical methods

power syst. sync. generator param. estim., soln. algm. *Jin-Cheng Wang*, +, *T-EC Jun 94* 337-343

verters; cf. Power conversion...

oling; cf. Fission reactor cooling and heat recovery

ona; cf. Partial discharges

Current control

DC motor, PV array, power matching, step-up converter. *Alghuwainem, S.M.*, *T-EC Mar 94* 192-198

duction motor drives, vector control hysteresis current controller. *Ting-Yu Chang*, +, *T-EC Jun 94* 297-303

Current measurement

double-cage squirrel cage motors, broken bar interbar currents. *Walliser, R.F.*, +, *T-EC Mar 94* 159-164

salient pole, damper winding slot ripples. *Matsuki, J.*, +, *T-EC Mar 94* 126-134

squirrel cage motor broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158

D

machines; cf. Homopolar machines

Motor drives

brushless DC motor, adaptive multi-layer self-tuning tracking control. *El-Samahy, A.A.*, +, *T-EC Jun 94* 311-316

brushless DC motor drives, ident./control, ANN. *El-Sharkawi, M.A.*, +, *T-EC Jun 94* 317-322

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

motors

brushless DC PM motor, 3D EM field FEM calcs. *Alhamadi, M.A.*, +, *T-EC Mar 94* 1-14

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

brushless DC PM motors, 3D FEM EM field calc. results. *Alhamadi, M.A.*, +, *T-EC Mar 94* 15-25

PV array, power matching, step-up converter. *Alghuwainem, S.M.*, *T-EC Mar 94* 192-198

motors; cf. Universal motors

ign automation software; cf. Software packages

Design methodology

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

solid rotor elec. motors, design optim. method. *Laporte, B.*, +, *T-EC Sep 94* 604-612

agnosis; cf. Fault diagnosis

Electric breakdown

10 MVA supercond. sync. generator air-gap armature winding tests. *Kirtley, J.L.*, +, *T-EC Jun 94* 349-358

elec. motor PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

HV elec. machine insulation, slot stress studies. *Vakser, B.D.*, +, *T-EC Mar 94* 143-151

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635

turbogenerator PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

Dielectric breakdown; cf. Partial discharges

Diesel-driven generators

village electrification, hybrid renewable energy syst. *Gutierrez-Vera, J.*, *T-EC Sep 94* 442-450

wind/diesel energy syst. perform., prob. eval. *Saramourtsis, A.C.*, +, *T-EC Dec 94* 743-752

wind/diesel power plant, robust control and anal. *Uhlen, K.*, +, *T-EC Dec 94* 701-708

Digital control

micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. *Hiyama, T.*, *T-EC Dec 94* 724-731

motor drive invertors, bus clamped space vector modulation. *Jobing, R.*, +, *T-EC Jun 94* 344-348

sync. generator automatic voltage regulator, fuzzy control design. *Hasan, A.R.*, +, *T-EC Sep 94* 550-557

Digital signal processing chips

hydrogenerators, speed controller, DSP-based real-time simulator. *Throckmorton, P.J.*, +, *T-EC Jun 94* 238-242

Discrete-time systems

induction motor drives, fixed struct. discrete-time sliding mode controller. *Pan, C.-T.*, +, *T-EC Dec 94* 645-651

Dispatching; cf. Power generation dispatch

Distributed control

850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. *Fostiak, R.J.*, +, *T-EC Mar 94* 206-213

Drives; cf. Motor drives

Dynamic stability; cf. Power system stability, dynamic

E

Economics; cf. Power system economics

Eddy currents

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

Eigenvalues/eigenfunctions

long. PSS, coord. stabilisation studies. *Ao, Z.*, +, *T-EC Sep 94* 466-474

Electric machines; cf. Generators; Motors; Rotating-machine...

Electric utilities; cf. Power industry

Electric variables control; cf. Current control; Voltage control

Electric variables measurement; cf. Current measurement; Power system measurements; Voltage measurement

Electrochemical devices; cf. Batteries

Electromagnetic forces

induction motor drives, unbalanced mag. pull calc., series/parallel windings. *Dorrell, D.G.*, +, *T-EC Jun 94* 304-310

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

Electromagnetic induction

synchronous motors, converter- and line-fed variable-speed drive, damper-winding and rotor-iron currents. *Vetter, W.*, +, *T-EC Dec 94* 709-716

Electromagnetic radiation

brushless DC PM motor, 3D EM field FEM calcs. *Alhamadi, M.A.*, +, *T-EC Mar 94* 1-14

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

brushless DC PM motors, 3D FEM EM field calc. results. *Alhamadi, M.A.*, +, *T-EC Mar 94* 15-25

PM generator toothless stator, dyn. perform. characts. effects. *Vyas, R.*, +, *T-EC Jun 94* 413-419

saturated salient pole sync. machines, reluctance distrib. modelling. *Gordon, C.*, +, *T-EC Jun 94* 323-329

squirrel cage motors, EM/thermal fields anal. *Chan, C.C.*, +, *T-EC Mar 94* 53-60

SRM drives, dyn. perform. prediction, computer-based. *Arkadan, A.A.*, +, *T-EC Mar 94* 36-44

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

Electromagnets; cf. Superconducting magnets, energy storage

Energy storage; cf. Batteries

Environmental factors; cf. Air pollution

Equivalent circuits

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

synchronous machines, saturated, equiv. cct. anal. *Xiao, Y.*, +, *T-EC Dec 94* 717-723

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

Error analysis

param. est., output error tech. *de Kock, J.A.*, +, *T-EC Mar 94* 69-76

Estimation; cf. Life estimation; Maximum-likelihood estimation; Parameter estimation; Reliability estimation

Excitation systems; cf. Power generation excitation systems

F

Failure analysis

power plant ASD systs., availability anal. *Kogan, V.I.*, +, *T-EC Mar 94* 115-125

Fault diagnosis

double-cage squirrel cage motors, broken bar interbar currents. *Walliser, R.F.*, +, *T-EC Mar 94* 159-164

salient-pole sync. machines, eccentric/shorted field coil detect. *Hsu, J.S.*, +, *T-EC Sep 94* 572-578

squirrel cage motor broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158

stator windings, interturn short-cct. detect./location. *Penman, J.*, +, *T-EC Dec 94* 652-658

sync. machine windingless rotors, eccentricity detect. method. *Hsu, J.S.*, +, *T-EC Sep 94* 564-571

turbogenerator rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431

Faults; cf. Power generation faults; Power system relaying; Power transmission faults

Filters

induction motor drive, harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534

Finite-element methods

3-phase induction motor, rot. flux losses. *Findlay, R.D.*, +, *T-EC Sep 94* 543-549

brushless DC PM motor, 3D EM field FEM calcs. *Alhamadi, M.A.*, +, *T-EC Mar 94* 1-14

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

brushless DC PM motors, 3D FEM EM field calc. results. *Alhamadi, M.A.*, +, *T-EC Mar 94* 15-25

doubly excited brushless reluctance motor rotor struct., FEM. *Longya Xu*, +, *T-EC Mar 94* 165-172

squirrel cage motors, EM/thermal fields anal. *Chan, C.C.*, +, *T-EC Mar 94* 53-60

synchronous motors, converter- and line-fed variable-speed drive, damper-winding and rotor-iron currents. *Vetter, W.*, +, *T-EC Dec 94* 709-716

Fission reactor cooling and heat recovery

circulating water syst., ASD appls. *Dent, R.A.*, +, *T-EC Sep 94* 496-502

Flue gases; cf. Air pollution

Fourier transforms

sync. generators, damper windings phenom., syst. oscills. *Matsuki, J.*, +, *T-EC Jun 94* 376-382

Frequency control

induction motor drives, PV array-fed, efficiency improvement. *Yao, Y.*, +, *T-EC Jun 94* 256-262

Frequency-domain analysis

subsynchronous reson. damping, SMES, freq.- and time-domain effectiveness eval. *Wang, L.*, +, *T-EC Dec 94* 770-777

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

sync. machine power systs., params. ident., broadband excitations. *Beya, K.*, +, *T-EC Jun 94* 270-280

Frequency regulation; cf. Frequency control

Fuzzy control

induction motor drives, variable-speed, fuzzy intell. control. *Tang, Y.*, +, *T-EC Dec 94* 679-685

micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. *Hiyama, T.*, *T-EC Dec 94* 724-731

multimachine fuzzy logic PSS, robustness anal. *Hiyama, T.*, *T-EC Sep 94* 451-459

PID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520

sync. generator automatic voltage regulator, fuzzy control design. *Hasegawa, A.R.*, +, *T-EC Sep 94* 550-557

G

Garbage; cf. Waste materials

Generators

hydrogenerators, speed controller, DSP-based real-time simulation. *Throckmorton, P.J.*, +, *T-EC Jun 94* 238-242

PM generator toothless stator, dyn. perform. characts. effects. *Vyas, R.*, *T-EC Jun 94* 413-419

Generators; cf. Diesel-driven generators; Induction generators; Permanent magnet generators; Synchronous generator...; Turbogenerators

Governors; cf. Power generation control, governor

Graphical user interfaces

power plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269

Grounding

NPP, lightning-related damage overview. *Rourk, C.*, *T-EC Sep 94* 636-641

H

Harmonic analysis

induction motor drives, slip-energy-recovery type. *Refoufi, L.*, +, *T-EC Dec 94* 665-672

PM generator toothless stator, dyn. perform. characts. effects. *Vyas, R.*, *T-EC Jun 94* 413-419

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

Harmonic distortion

induction motor drive, harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534

Harmonic distortion; cf. Power system harmonics

Homopolar machines

transverse flux homopolar lin. motors, transient anal. *Liu, C.T.*, +, *T-EC Jun 94* 366-375

H ∞ optimization

H ∞ optimal control PSS, robust design. *Asgharian, R.*, *T-EC Sep 94* 475-481

HVDC converters

HVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513

HVDC substations

HVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513

Hydraulic turbines

village electrification, hybrid renewable energy syst. *Gutierrez-Vera, T.*, *T-EC Sep 94* 442-450

Hydroelectric power generation; cf. Pumped-storage power generation

I

IEEE standards

three phase induction motors, model elements eval. method. *Skaar, D.*, *T-EC Jun 94* 397-403

Impulse generation

4-10 W super-small-scale MHD power syst. research. *Zhang He*, +, *T-EC Mar 94* 186-191

Inductance

bearingless AC motors anal. *Chiba, A.*, +, *T-EC Mar 94* 61-68

Induction; cf. Electromagnetic induction

Induction generators

low head hydroelectric induction generators, connection voltage dip. *Hammons, T.J.*, +, *T-EC Sep 94* 460-465

self excited induction generator feeding induction motor. *Shridhar, L.*, *T-EC Jun 94* 390-396

self-excited, steady-state anal. *Chan, T.F.*, *T-EC Jun 94* 288-296

wind driven induction generators, unbalanced grid voltages. *Ghoras, A.H.*, +, *T-EC Jun 94* 217-223

Induction motor drives

drives, PV array-fed, efficiency improvement. *Yao, Y.*, +, *T-EC Jun 94* 256-262

drives, unbalanced mag. pull calc., series/parallel windings. *Dorrell, D.*, +, *T-EC Jun 94* 304-310

drives, vector control hysteresis current controller. *Ting-Yu Chang*, *T-EC Jun 94* 297-303

fixed struct. discrete-time sliding mode controller. *Pan, C.-T.*, +, *T-EC Dec 94* 645-651

harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534
 oil refinery mixer, induction motor drive, transients reclosing. *Reynaud, J.*, +, *T-EC Jun 94* 383-389
 tip-energy-recovery type, harmonic anal. *Refoufi, L.*, +, *T-EC Dec 94* 665-672
 variable-speed, fuzzy intell. control. *Tang, Y.*, +, *T-EC Dec 94* 679-685
Induction motors
 3-phase induction motor, rot. flux losses. *Findlay, R.D.*, +, *T-EC Sep 94* 543-549
 bearingless AC motors anal. *Chiba, A.*, +, *T-EC Mar 94* 61-68
 broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158
 capacitor induction motors, simul., EMTP. *Domijan, A., Jr.*, +, *T-EC Sep 94* 535-542
 concentrated winding, adjustable-speed-drive appls., design and expt. results. *Toliyat, H.A.*, +, *T-EC Dec 94* 695-700
 double-cage squirrel cage motors, broken bar interbar currents. *Walliser, R.F.*, +, *T-EC Mar 94* 159-164
 drives, harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534
 EM/thermal fields anal. *Chan, C.C.*, +, *T-EC Mar 94* 53-60
 noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412
 param. est., output error tech. *de Kock, J.A.*, +, *T-EC Mar 94* 69-76
 self excited induction generator feeding induction motor. *Shridhar, L.*, +, *T-EC Jun 94* 390-396
 starting, torsional torque anal. *Shaltout, A.A.*, *T-EC Mar 94* 135-142
 three phase induction motors, model elements eval. method. *Skaar, D.L.*, *T-EC Jun 94* 397-403
 three-phase induction motor testing, prog. dynamometer. *Collins, E.R., Jr.*, +, *T-EC Sep 94* 521-527
 two rotor ccts., reduced order models. *Richards, G.*, +, *T-EC Dec 94* 673-678
Induction motors; cf. Capacitor motors; Linear induction motors
Inductive energy storage; cf. Superconducting magnets, energy storage
Industrial production; cf. Manufacturing
Insulation; cf. Mica insulation; Plastic insulation; Rotating-machine insulation
Insulation life
 HV elec. machine insulation, slot stress studies. *Vakser, B.D.*, +, *T-EC Mar 94* 143-151
 hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627
 hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635
Insulation testing; cf. Rotating-machine insulation testing
Intelligent control
 induction motor drives, variable-speed, fuzzy intell. control. *Tang, Y.*, +, *T-EC Dec 94* 679-685
Intelligent systems; cf. Intelligent control
Interconnected power systems
 850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. *Postiak, R.J.*, +, *T-EC Mar 94* 206-213
 Hunan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
 HVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513
 WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563
Interruption; cf. Circuit breakers
Inverters; cf. Pulse-width modulation, inverters

L

Laplace transforms
 sync. machine, max. likelihood param. est. *Keyhani, A.*, +, *T-EC Mar 94* 98-114
Learning systems
 brushless DC motor drives, ident./control, ANN. *El-Sharkawi, M.A.*, +, *T-EC Jun 94* 317-322
 PSS, inverse input/output mapped ANN. *Zhang, Y.*, +, *T-EC Sep 94* 433-441
Least-squares methods
 hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488
Life estimation
 synchronous generation, asphalt-mica stator insulation, remaining service life estim. *Timperley, J.E.*, +, *T-EC Dec 94* 686-694
Life estimation; cf. Insulation life
Lightning, power systems
 NPP, lightning-related damage overview. *Rourke, C.*, *T-EC Sep 94* 636-641

Linear induction motors

transverse flux homopolar lin. motors, transient anal. *Liu, C.T.*, +, *T-EC Jun 94* 366-375

Linear synchronous motors

transverse flux homopolar lin. motors, transient anal. *Liu, C.T.*, +, *T-EC Jun 94* 366-375

Load dispatching; cf. Power generation dispatch

Load flow analysis

power plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269

WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563

Load flow control

WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563

Losses; cf. Magnetic losses

M

Magnetic forces; cf. Electromagnetic forces

Magnetic losses

3-phase induction motor, rot. flux losses. *Findlay, R.D.*, +, *T-EC Sep 94* 543-549

synchronous motors, converter- and line-fed variable-speed drive, damper-winding and rotor-iron currents. *Vetter, W.*, +, *T-EC Dec 94* 709-716

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

Magnetic measurements

turbogenerator rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431

Magnetization processes

oil refinery mixer, induction motor drive, transients reclosing. *Reynaud, J.*, +, *T-EC Jun 94* 383-389

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

Magnets; cf. Superconducting magnets, energy storage

Maintenance

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635

Maintenance; cf. Availability; Power generation maintenance

Management; cf. Project management

Manufacturing

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

Matrices; cf. Transfer function matrices

Maximum-likelihood estimation

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

sync. machine, max. likelihood param. est. *Keyhani, A.*, +, *T-EC Mar 94* 98-114

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

Measurement; cf. Current measurement; Magnetic measurements; Power system measurements; Voltage measurement

Mechanical factors

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

Mechanical factors; cf. Rotating-machine mechanical factors

Mechanical variables control; cf. Acceleration control; Position control; Torque control; Velocity control

Meteorology; cf. Air pollution

MHD

4-10 W super-small-scale MHD power syst. research. *Zhang He*, +, *T-EC Mar 94* 186-191

Mica insulation

synchronous generation, asphalt-mica stator insulation, remaining service life estim. *Timperley, J.E.*, +, *T-EC Dec 94* 686-694

Microcomputer applications

micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. *Hiyama, T.*, *T-EC Dec 94* 724-731

PID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520

power plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269

sync. generator automatic voltage regulator, fuzzy control design. *Hasan, A.R.*, +, *T-EC Sep 94* 550-557

Minimization methods; cf. Optimization methods**Modeling**

induction motors, two-rotor ccts., reduced-order models. *Richards, G.*, +, *T-EC Dec 94* 673-678

Modeling; cf. Power system modeling**Model reference adaptive control**

brushless DC motor drives, ident./control, ANN. *El-Sharkawi, M.A.*, +, *T-EC Jun 94* 317-322

Monitoring

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint.

Lyles, J.F., +, *T-EC Sep 94* 628-635

squirrel cage motor broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158

Motion control; cf. Acceleration control**Motor drives**

drive invertors, bus clamped space vector modulation. *Jobing, R.*, +, *T-EC Jun 94* 344-348

NPP circulating water syst., ASD appls. *Dent, R.A.*, +, *T-EC Sep 94* 496-502

Motor drives; cf. DC motor drives; Induction motor drives; Reluctance motor drives**Motors**

850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. *Fostiak, R.J.*, +, *T-EC Mar 94* 206-213

PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

power plant ASD systs., availability anal. *Kogan, V.I.*, +, *T-EC Mar 94* 115-125

power plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269

solid rotor elec. motors, design optim. method. *Laporte, B.*, +, *T-EC Sep 94* 604-612

stator windings, interturn short-cct. detect./location. *Penman, J.*, +, *T-EC Dec 94* 652-658

Motors; cf. DC motors; Induction motors; Permanent magnet motors; Reluctance motors; Synchronous motors; Universal motors**Multiprocessing; cf. Neural networks****Multivariable systems**

wind/diesel power plant, robust control and anal. *Uhlen, K.*, +, *T-EC Dec 94* 701-708

N

Neural network applications

elec. indust., incentive contracts, bid params. *Wong, K.P.*, +, *T-EC Jun 94* 243-249

PSS, inverse input/output mapped ANN. *Zhang, Y.*, +, *T-EC Sep 94* 433-441

synchronous generator, stabil./excit. loss, neural-network-based pattern class. *Scharaf, A.M.*, +, *T-EC Dec 94* 753-759

Neural networks

brushless DC motor drives, ident./control, ANN. *El-Sharkawi, M.A.*, +, *T-EC Jun 94* 317-322

Noise; cf. Rotating-machine acoustic noise**Nonlinear distortion; cf. Harmonic distortion****Nonlinearities; cf. Rotating-machine nonlinear analysis****Nonlinear systems**

variable struct. PSS controller design. *Yijia Cao*, +, *T-EC Sep 94* 489-495

Nuclear power generation

circulating water syst., ASD appls. *Dent, R.A.*, +, *T-EC Sep 94* 496-502

Nuclear power generation protection/safety

distrib. networks, undervoltage relay setpoints calcs. *Jancauskas, J.R.*, *T-EC Mar 94* 173-178

lightning-related damage overview. *Rourk, C.*, *T-EC Sep 94* 636-641

Nuclear reactors; cf. Fission reactor cooling and heat recovery**Numerical methods; cf. Approximation methods; Convergence of numerical methods; Finite-element methods; Optimization methods; Relaxation methods**

O

Optimal control

adaptive hydrogenerator generator governor tuning, genetic algm.-based. *Lansberry, J.E.*, +, *T-EC Mar 94* 179-185

PID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520

synchronous generator damping improvement SMES. *Rahim, A.H.M.A.*, +, *T-EC Dec 94* 736-742

thermal power station drum-type boiler following control. *Cheres, E.*, *T-EC Mar 94* 199-205

Optimization methods

conflict problems, ident./soln. using univariant search. *Poloujadoff, M.*, +, *T-EC Dec 94* 659-664

hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488

reluctance motors, rotor design optimisation. *Matsuo, T.*, +, *T-EC Jun 94* 359-365

solid rotor elec. motors, design optim. method. *Laporte, B.*, +, *T-EC Sep 94* 604-612

Optimization methods; cf. Approximation methods; H ∞ optimization methods; Least-squares methods

P

Parameter estimation

induction motors param. est., output error tech. *de Kock, J.A.*, +, *T-EC Mar 94* 69-76

sync. machine, max. likelihood param. est. *Keyhani, A.*, +, *T-EC Mar 94* 98-114

Parameter estimation; cf. Power system parameter estimation**Parameter identification**

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

Parameter identification; cf. Power system identification**Partial discharges**

elec. motor PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

turbogenerator PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

Pattern classification

synchronous generator, stabil./excit. loss, neural-network-based pattern class. *Scharaf, A.M.*, +, *T-EC Dec 94* 753-759

Permanent magnet generators

generator toothless stator, dyn. perform. characts. effects. *Vyas, R.*, +, *T-EC Jun 94* 413-419

Permanent magnet motors

brushless DC PM motor, 3D EM field FEM calcs. *Alhamadi, M.A.*, *T-EC Mar 94* 1-14

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

brushless DC PM motors, 3D FEM EM field calc. results. *Alhamadi, M.A.*, +, *T-EC Mar 94* 15-25

Petroleum industry

mixer, induction motor drive, transients reclosing. *Reynaud, J.*, +, *T-EC Jun 94* 383-389

Photovoltaic materials/devices

hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488

Photovoltaic power cells

hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488

Photovoltaic power systems

DC motor, PV array, power matching, step-up converter. *Alghuwaini, S.M.*, *T-EC Mar 94* 192-198

hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488

induction motor drives, PV array-fed, efficiency improvement. *Yao, Y.*, *T-EC Jun 94* 256-262

utility interactive, penetration, energy costs. *Rahman, S.*, +, *T-EC Jun 94* 224-230

village electrification, hybrid renewable energy syst. *Gutierrez-Vera, T-EC Sep 94* 442-450

Planning; cf. Power generation planning**Plastic insulation**

10 MVA supercond. sync. generator air-gap armature winding test. *Kirtley, J.L.*, +, *T-EC Jun 94* 349-358

Polynomials

induction generators, self-excited, steady-state anal. *Chan, T.F.*, *T-EC Sep 94* 288-296

Position control

brushless DC motor, adaptive multi-layer self-tuning tracking control. *El-Samahy, A.A.*, +, *T-EC Jun 94* 311-316

Power capacitors

WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, *T-EC Sep 94* 558-563

Power control

village electrification, hybrid renewable energy syst. *Gutierrez-Vera, T-EC Sep 94* 442-450

- re control; cf. Reactive power control
- r conversion; cf. HVDC converters; Thyristor converters
- r conversion, DC-AC
- re-commutated power converter anal. under unbalanced operation. *Vasynczuk, O.*, *T-EC Jun 94* 420-426
- r conversion, DC-AC; cf. Pulse-width modulation, inverters
- r conversion, DC-DC
- C motor, PV array, power matching, step-up converter. *Alghuwainem, F.M.*, *T-EC Mar 94* 192-198
- r distribution
- nd driven induction generators, unbalanced grid voltages. *Ghorashi, A.H.*, +, *T-EC Jun 94* 217-223
- r distribution economics
- MES, small units, cost reduction estim. *Schoenung, S.M.*, +, *T-EC Jun 94* 231-237
- r distribution faults; cf. Power distribution protection
- r distribution protection
- PP distrib. networks, undervoltage relay setpoints calcs. *Jancauskas, J.R.*, *T-EC Mar 94* 173-178
- r flow analysis; cf. Load flow analysis
- r flow control; cf. Load flow control
- r generation; cf. Generators; MHD; Nuclear power generation...; Power supplies; Pulse power systems; Pumped-storage power generation; Thermal power generation; Wind power generation
- r generation auxiliary systems
- SD systs., availability anal. *Kogan, V.I.*, +, *T-EC Mar 94* 115-125
- ower plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269
- r generation control
- 50 MW Rocky Mountain pumped-storage project, elec. equipt. overview. *Fostiak, R.J.*, +, *T-EC Mar 94* 206-213
- ∞ optimal control PSS, robust design. *Asgharian, R.*, *T-EC Sep 94* 475-481
- unan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
- ng. PSS, coord. stabilisation studies. *Ao, Z.*, +, *T-EC Sep 94* 466-474
- ID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520
- hermal power station drum-type boiler following control. *Cheres, E.*, +, *T-EC Mar 94* 199-205
- /ECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563
- ind/diesel power plant, robust control and anal. *Uhlen, K.*, +, *T-EC Dec 94* 701-708
- r generation control, excitation
- duction generators, self-excited, steady-state anal. *Chan, T.F.*, *T-EC Jun 94* 288-296
- ng. PSS, coord. stabilisation studies. *Ao, Z.*, +, *T-EC Sep 94* 466-474
- r generation control, governor
- aptive hydrogenerator generator governor tuning, genetic algm.-based. *Lansberry, J.E.*, +, *T-EC Mar 94* 179-185
- r generation dispatch
- unan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
- r generation economics
- unan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
- ind/diesel energy syst. perform., prob. eval. *Saramourtsis, A.C.*, +, *T-EC Dec 94* 743-752
- r generation excitation systems
- IVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513
- r generation excitation systems; cf. Power generation control, excitation; Synchronous generator excitation
- r generation faults
- IVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513
- r generation maintenance
- PP circulating water syst., ASD appls. *Dent, R.A.*, +, *T-EC Sep 94* 496-502
- r generation planning
- lec. indust., incentive contracts, bid params. *Wong, K.P.*, +, *T-EC Jun 94* 243-249
- r generation protection; cf. Nuclear power generation protection/safety; Power generation faults
- r generation scheduling
- hort-term scheduling, price-based resource integrat. Lagrangian relax. algm. *Svoboda, A.J.*, +, *T-EC Dec 94* 760-769
- r generation scheduling; cf. Power generation dispatch
- r industry
- ncentive contracts, bid params. *Wong, K.P.*, +, *T-EC Jun 94* 243-249
- WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563
- Power supplies**
- 4-10 W super-small-scale MHD power syst. research. *Zhang He*, +, *T-EC Mar 94* 186-191
- Power system computing**
- long. PSS, coord. stabilisation studies. *Ao, Z.*, +, *T-EC Sep 94* 466-474
- low head hydroelectric induction generators, connection voltage dips. *Hammons, T.J.*, +, *T-EC Sep 94* 460-465
- power plant power syst. CAD/anal. GUI. *Yu, D.C.*, +, *T-EC Jun 94* 263-269
- PSS, inverse input/output mapped ANN. *Zhang, Y.*, +, *T-EC Sep 94* 433-441
- Power system control**
- Hunan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
- micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. *Hiyama, T.*, *T-EC Dec 94* 724-731
- multimachine fuzzy logic PSS, robustness anal. *Hiyama, T.*, *T-EC Sep 94* 451-459
- nonlin. variable struct. PSS controller design. *Yijia Cao*, +, *T-EC Sep 94* 489-495
- PID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520
- PSS, inverse input/output mapped ANN. *Zhang, Y.*, +, *T-EC Sep 94* 433-441
- sync. generator param. estim., online meas.-based. *Chiang-Tsung Huang*, +, *T-EC Jun 94* 330-336
- sync. generator param. estim., soln. algm. *Jin-Cheng Wang*, +, *T-EC Jun 94* 337-343
- Power system control; cf. Load flow control; Power generation control...; Power system stability**
- Power system dynamic stability; cf. Power system stability, dynamic**
- Power system economics**
- elec. indust., incentive contracts, bid params. *Wong, K.P.*, +, *T-EC Jun 94* 243-249
- Hunan power pool dispatching automation project, China. *Yu Xichang*, +, *T-EC Jun 94* 250-255
- PV power systs., utility interactive, penetration, energy costs. *Rahman, S.*, +, *T-EC Jun 94* 224-230
- short-term scheduling, price-based resource integrat. Lagrangian relax. algm. *Svoboda, A.J.*, +, *T-EC Dec 94* 760-769
- Power system economics; cf. Power distribution economics; Power generation economics**
- Power system faults; cf. Power generation faults; Power system relaying; Power transmission faults**
- Power system harmonics**
- induction motor drives, slip-energy-recovery type, harmonic anal. *Refoufi, L.*, +, *T-EC Dec 94* 665-672
- sync. generators, damper windings phenom., syst. oscills. *Matsuki, J.*, +, *T-EC Jun 94* 376-382
- Power system identification**
- sync. machine power systs., params. ident., broadband excitations. *Beya, K.*, +, *T-EC Jun 94* 270-280
- Power system identification; cf. Parameter identification; Power system parameter estimation**
- Power system interconnection; cf. Interconnected power systems**
- Power system maintenance; cf. Power generation maintenance**
- Power system measurements**
- sync. machine power systs., params. ident., broadband excitations. *Beya, K.*, +, *T-EC Jun 94* 270-280
- Power system modeling**
- PID fuzzy logic PSS, microcomputer-based. *Hiyama, T.*, +, *T-EC Sep 94* 514-520
- Power system parameter estimation**
- power syst. sync. generator param. estim., soln. algm. *Jin-Cheng Wang*, +, *T-EC Jun 94* 337-343
- sync. generator param. estim., online meas.-based. *Chiang-Tsung Huang*, +, *T-EC Jun 94* 330-336
- Power system planning; cf. Power generation planning**
- Power system protection; cf. Circuit breakers; Power distribution protection**
- Power system relaying**
- NPP distrib. networks, undervoltage relay setpoints calcs. *Jancauskas, J.R.*, *T-EC Mar 94* 173-178
- NPP, lightning-related damage overview. *Rourk, C.*, *T-EC Sep 94* 636-641
- Power systems; cf. Interconnected power systems; MHD; Photovoltaic power systems; Pulse power systems**
- Power system simulation**
- long. PSS, coord. stabilisation studies. *Ao, Z.*, +, *T-EC Sep 94* 466-474
- low head hydroelectric induction generators, connection voltage dips. *Hammons, T.J.*, +, *T-EC Sep 94* 460-465

- power plant power syst. CAD/anal. GUI. Yu, D.C., +, *T-EC Jun 94* 263-269
- PSS, inverse input/output mapped ANN. Zhang, Y., +, *T-EC Sep 94* 433-441
- Power system stability**
- inverse input/output mapped ANN. Zhang, Y., +, *T-EC Sep 94* 433-441
- micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. Hiyama, T., *T-EC Dec 94* 724-731
- multimachine fuzzy logic PSS, robustness anal. Hiyama, T., *T-EC Sep 94* 451-459
- PID fuzzy logic PSS, microcomputer-based. Hiyama, T., +, *T-EC Sep 94* 514-520
- sync. generator param. estim., online meas.-based. Chiang-Tsung Huang, +, *T-EC Jun 94* 330-336
- sync. generator param. estim., soln. algm. Jin-Cheng Wang, +, *T-EC Jun 94* 337-343
- Power system stability; cf.** Subsynchronous resonance
- Power system stability, dynamic**
- H_{∞} optimal control PSS, robust design. Asgharian, R., *T-EC Sep 94* 475-481
- long. PSS, coord. stabilisation studies. Ao, Z., +, *T-EC Sep 94* 466-474
- nonlin. variable struct. PSS controller design. Yijia Cao, +, *T-EC Sep 94* 489-495
- Power system stability, transient**
- H_{∞} optimal control PSS, robust design. Asgharian, R., *T-EC Sep 94* 475-481
- low head hydroelectric induction generators, connection voltage dips. Hammons, T.J., +, *T-EC Sep 94* 460-465
- Power system steady-state stability; cf.** Power system stability, dynamic
- Power system testing**
- PID fuzzy logic PSS, microcomputer-based. Hiyama, T., +, *T-EC Sep 94* 514-520
- Power system transients**
- NPP, lightning-related damage overview. Rourke, C., *T-EC Sep 94* 636-641
- Power system transients; cf.** Lightning, power systems
- Power system transient stability; cf.** Power system stability, transient
- Power transformers**
- 850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. Fostiak, R.J., +, *T-EC Mar 94* 206-213
- Power transmission; cf.** Load flow analysis
- Power transmission faults**
- HVDC link disturbances, steam turbogenerator exciter shaft stresses. Hammons, T.J., +, *T-EC Sep 94* 503-513
- NPP, lightning-related damage overview. Rourke, C., *T-EC Sep 94* 636-641
- Power transmission lines**
- NPP, lightning-related damage overview. Rourke, C., *T-EC Sep 94* 636-641
- Power transmission protection; cf.** Power transmission faults
- Probability**
- hybrid wind/PV power syst., PV array size optim. Borowy, B.S., +, *T-EC Sep 94* 482-488
- sync. generator high-order model ident. method. Keyhani, A., +, *T-EC Sep 94* 593-603
- wind/diesel energy syst. perform., prob. eval. Saramourtsis, A.C., +, *T-EC Dec 94* 743-752
- Project management**
- 850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. Fostiak, R.J., +, *T-EC Mar 94* 206-213
- Hunan power pool dispatching automation project, China. Yu Xichang, +, *T-EC Jun 94* 250-255
- NPP circulating water syst., ASD appls. Dent, R.A., +, *T-EC Sep 94* 496-502
- Proportional control**
- subsynchronous reson. damping, SMES, freq.- and time-domain effectiveness eval. Wang, L., +, *T-EC Dec 94* 770-777
- Protection/safety; cf.** Nuclear power generation protection/safety; Power distribution protection
- Pulse generation; cf.** Impulse generation
- Pulse power systems**
- 4-10 W super-small-scale MHD power syst. research. Zhang He, +, *T-EC Mar 94* 186-191
- Pulse-width modulation, inverters**
- induction motor drives, PV array-fed, efficiency improvement. Yao, Y., +, *T-EC Jun 94* 256-262
- motor drive invertors, bus clamped space vector modulation. Jobing, R., +, *T-EC Jun 94* 344-348
- Pumped-storage power generation**
- 850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. Fostiak, R.J., +, *T-EC Mar 94* 206-213
- Pumps**
- 850 MW Rocky Mountain pumped-storage project, elec. equipt. overview. Fostiak, R.J., +, *T-EC Mar 94* 206-213

- DC motor, PV array, power matching, step-up converter. Alghuwaili, S.M., *T-EC Mar 94* 192-198
- NPP circulating water syst., ASD appls. Dent, R.A., +, *T-EC Sep 94* 496-502

R

Reactive power

- wind driven induction generators, unbalanced grid voltages. Ghosh, A.H., +, *T-EC Jun 94* 217-223

Reactive power control

- induction motor drive, harmonics reduction, voltage control. Czarnecki, L.S., +, *T-EC Sep 94* 528-534

Real-time systems

- micromachine power systs., real-time control, microcomput.-based fuzzy-logic stabilizer. Hiyama, T., *T-EC Dec 94* 724-731
- sync. generator automatic voltage regulator, fuzzy control design. Hiyama, T., +, *T-EC Sep 94* 550-557

Rectifiers

- double-star sync. generator, bridge rectified output, perform. Xing, Li, +, *T-EC Sep 94* 613-619
- WECS, elec. utility asynchronous DC link control. Hilloowala, R.M., +, *T-EC Sep 94* 558-563

Reduced order systems

- induction motor models, two rotor ccts. Richards, G., +, *T-EC Dec 94* 673-678

Refuse; cf. Waste materials**Regulators**

- brushless DC motor, adaptive multi-layer self-tuning tracking control. El-Samahy, A.A., +, *T-EC Jun 94* 311-316
- hydrogenerators, speed controller, DSP-based real-time simulation. Throckmorton, P.J., +, *T-EC Jun 94* 238-242
- induction motor drive, harmonics reduction, voltage control. Czarnecki, L.S., +, *T-EC Sep 94* 528-534
- induction motor drives, vector control hysteresis current control. Ting-Yu Chang, +, *T-EC Jun 94* 297-303

Relaxation methods

- power-syst. short-term scheduling, price-based resource in Lagrangian relax. algm. Svoboda, A.J., +, *T-EC Dec 94* 760-769

Relays; cf. Power system relaying**Reliability; cf.** Availability; Failure analysis; Maintenance**Reliability estimation**

- power plant ASD systs., availability anal. Kogan, V.I., +, *T-EC Mar 94* 115-125

Reliability estimation; cf. Life estimation**Reluctance motor drives**

- SRM drives, dyn. perform. prediction, computer-based. Arkadan, A., +, *T-EC Mar 94* 36-44
- SRM drives, dyn. perform. prediction, internal/external faults. Arkadan, A.A., +, *T-EC Mar 94* 45-52

Reluctance motors

- bearingless AC motors anal. Chiba, A., +, *T-EC Mar 94* 61-68
- doubly excited brushless reluctance motor rotor struct., FEM. Long, Y., +, *T-EC Mar 94* 165-172
- rotor design optimisation. Matsuo, T., +, *T-EC Jun 94* 359-365
- transverse flux homopolar lin. motors, transient anal. Liu, C.T., +, *T-EC Jun 94* 366-375

Resistance

- three phase induction motors, model elements eval. method. Skaar, T., *T-EC Jun 94* 397-403

Resonance; cf. Subsynchronous resonance**Resource management**

- power-syst. short-term scheduling, price-based resource in Lagrangian relax. algm. Svoboda, A.J., +, *T-EC Dec 94* 760-769

Robustness

- long. PSS, coord. stabilisation studies. Ao, Z., +, *T-EC Sep 94* 466-474
- multimachine fuzzy logic PSS, robustness anal. Hiyama, T., *T-EC Sep 94* 451-459
- wind/diesel power plant, robust control and anal. Uhlen, K., +, *T-EC Jun 94* 701-708

Rotating-machine acoustic noise

- squirrel cage motor noise/vibr., radial forces studies. Verma, S.P., +, *T-EC Jun 94* 404-412

Rotating-machine insulation

- synchronous generation, asphalt-mica stator insulation, remaining life estim. Timperley, J.E., +, *T-EC Dec 94* 686-694

Rotating-machine insulation testing

- 10 MVA supercond. sync. generator air-gap armature winding. Kirtley, J.L., +, *T-EC Jun 94* 349-358
- elec. motor PD insulation tests, EMI insensitive. Campbell, S.R., +, *T-EC Jun 94* 281-287

V elec. machine insulation, slot stress studies. *Vakser, B.D.*, +, *T-EC Mar 94* 143-151

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635

turbogenerator PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287

Rotating-machine measurements

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

double-star sync. generator, bridge rectified output, perform. *Xing-Yuan Li*, +, *T-EC Sep 94* 613-619

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635

salient pole, damper winding slot ripples. *Matsuki, J.*, +, *T-EC Mar 94* 126-134

salient-pole sync. machines, eccentric/shorted field coil detect. *Hsu, J.S.*, +, *T-EC Sep 94* 572-578

sync. machine windingless rotors, eccentricity detect. method. *Hsu, J.S.*, +, *T-EC Sep 94* 564-571

three-phase induction motor testing, prog. dynamometer. *Collins, E.R., Jr.*, +, *T-EC Sep 94* 521-527

turbogenerator rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431

Rotating-machine mechanical factors

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

Rotating-machine nonlinear analysis

RM drives, dyn. perform. prediction, computer-based. *Arkadan, A.A.*, +, *T-EC Mar 94* 36-44

synchronous machines, saturated, equiv. cct. anal. *Xiao, Y.*, +, *T-EC Dec 94* 717-723

Rotating machines; cf. Brushless rotating machines; Generators; Homopolar machines; Hydraulic turbines; Motors; Superconducting rotating machines; Synchronous machines

Rotating-machine stability; cf. Synchronous generator stability

Rotating-machine testing

10 MVA supercond. sync. generator air-gap armature winding tests. *Kirtley, J.L.*, +, *T-EC Jun 94* 349-358

3-phase induction motor, rot. flux losses. *Findlay, R.D.*, +, *T-EC Sep 94* 543-549

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

double-cage squirrel cage motors, broken bar interbar currents. *Walliser, R.F.*, +, *T-EC Mar 94* 159-164

double-star sync. generator, bridge rectified output, perform. *Xing-Yuan Li*, +, *T-EC Sep 94* 613-619

V elec. machine insulation, slot stress studies. *Vakser, B.D.*, +, *T-EC Mar 94* 143-151

hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635

induction motors param. est., output error tech. *de Kock, J.A.*, +, *T-EC Mar 94* 69-76

salient-pole sync. machines, eccentric/shorted field coil detect. *Hsu, J.S.*, +, *T-EC Sep 94* 572-578

squirrel cage motor broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

stator windings, interturn short-cct. detect./location. *Penman, J.*, +, *T-EC Dec 94* 652-658

sync. machine power sys., params. ident., broadband excitations. *Beya, K.*, +, *T-EC Jun 94* 270-280

sync. machines, short-cct. tests, phenomenological models. *Kamwa, I.*, +, *T-EC Mar 94* 85-97

sync. machine windingless rotors, eccentricity detect. method. *Hsu, J.S.*, +, *T-EC Sep 94* 564-571

three-phase induction motor testing, prog. dynamometer. *Collins, E.R., Jr.*, +, *T-EC Sep 94* 521-527

turbogenerator rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431

Rotating-machine testing; cf. Rotating-machine insulation testing

Rotating-machine thermal factors

squirrel cage motors, EM/thermal fields anal. *Chan, C.C.*, +, *T-EC Mar 94* 53-60

Rotating-machine transient analysis

capacitor induction motors, simul., EMTP. *Domijan, A., Jr.*, +, *T-EC Sep 94* 535-542

induction motors, two-rotor ccts., reduced-order models. *Richards, G.*, +, *T-EC Dec 94* 673-678

oil refinery mixer, induction motor drive, transients reclosing. *Reynaud, J.*, +, *T-EC Jun 94* 383-389

self excited induction generator feeding induction motor. *Shridhar, L.*, +, *T-EC Jun 94* 390-396

transverse flux homopolar lin. motors, transient anal. *Liu, C.T.*, +, *T-EC Jun 94* 366-375

Rotating-machine transient analysis; cf. Synchronous generator transient analysis

Rotors

brushless DC PM motor, 3D EM field FEM calcs. *Alhamadi, M.A.*, +, *T-EC Mar 94* 1-14

brushless DC PM motor drives, perform. modelling/expts. *Alhamadi, M.A.*, +, *T-EC Mar 94* 26-35

brushless DC PM motors, 3D FEM EM field calc. results. *Alhamadi, M.A.*, +, *T-EC Mar 94* 15-25

double-cage squirrel cage motors, broken bar interbar currents. *Walliser, R.F.*, +, *T-EC Mar 94* 159-164

doubly excited brushless reluctance motor rotor struct., FEM. *Longya Xu*, +, *T-EC Mar 94* 165-172

induction motor drives, unbalanced mag. pull calc., series/parallel windings. *Dorrell, D.G.*, +, *T-EC Jun 94* 304-310

low head hydroelectric induction generators, connection voltage dips. *Hammons, T.J.*, +, *T-EC Sep 94* 460-465

reluctance motors, rotor design optimisation. *Matsuo, T.*, +, *T-EC Jun 94* 359-365

solid rotor elec. motors, design optim. method. *Laporte, B.*, +, *T-EC Sep 94* 604-612

squirrel cage motor broken rotor bar detect. method. *Walliser, R.F.*, +, *T-EC Mar 94* 152-158

squirrel cage motor noise/vibr., radial forces studies. *Verma, S.P.*, +, *T-EC Jun 94* 404-412

squirrel cage motors, EM/thermal fields anal. *Chan, C.C.*, +, *T-EC Mar 94* 53-60

sync. generator high-order model ident. method. *Keyhani, A.*, +, *T-EC Sep 94* 593-603

sync. machine windingless rotors, eccentricity detect. method. *Hsu, J.S.*, +, *T-EC Sep 94* 564-571

three phase induction motors, model elements eval. method. *Skaar, D.L.*, *T-EC Jun 94* 397-403

turbogenerator empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592

turbogenerator rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431

two rotor ccts., reduced order models. *Richards, G.*, +, *T-EC Dec 94* 673-678

S

Scheduling; cf. Power generation scheduling

Sea

liquid CO₂, deep-ocean disposal via clathrate formation, expt. *Kimuro, H.*, +, *T-EC Dec 94* 732-735

Search methods

optim. conflict problems, ident./soln. using univariant search. *Poloujadoff, M.*, +, *T-EC Dec 94* 659-664

Self-organizing control

brushless DC motor, adaptive multi-layer self-tuning tracking control. *El-Samahy, A.A.*, +, *T-EC Jun 94* 311-316

Sensitivity; cf. Robustness

Signal analysis; cf. Harmonic analysis

Signal generators; cf. Impulse generation

Signal processing; cf. Digital signal processing chips; Filters

Simulation

3-phase induction motor, rot. flux losses. *Findlay, R.D.*, +, *T-EC Sep 94* 543-549

capacitor induction motors, simul., EMTP. *Domijan, A., Jr.*, +, *T-EC Sep 94* 535-542

Simulation; cf. Power system simulation

Sliding-mode control; cf. Variable-structure systems

Software packages

AUXSYS, power plant power sys. CAD/anal. appls. *Yu, D.C.*, +, *T-EC Jun 94* 263-269

Spectral analysis; cf. Harmonic analysis

Stability; cf. Power system stability...; Synchronous generator stability; Robustness

Standards; cf. ANSI standards; IEEE standards

State-space methods

PM generator toothless stator, dyn. perform. characts. effects. Vyas, R., +, *T-EC Jun 94* 413-419

SRM drives, dyn. perform. prediction, computer-based. Arkadan, A.A., +, *T-EC Mar 94* 36-44

Stators

bearingless AC motors anal. Chiba, A., +, *T-EC Mar 94* 61-68

double-star sync. generator, bridge rectified output, perform. Xing-Yuan Li, +, *T-EC Sep 94* 613-619

elec. motor PD insulation tests, EMI insensitive. Campbell, S.R., +, *T-EC Jun 94* 281-287

hydroelectric generators, stator thermoset insulation life extension. Lyles, J.F., +, *T-EC Sep 94* 620-627

hydroelectric generator stator thermoset insulation, monitoring/maint. Lyles, J.F., +, *T-EC Sep 94* 628-635

induction motor drives, unbalanced mag. pull calc., series/parallel windings. Dorrell, D.G., +, *T-EC Jun 94* 304-310

PM generator toothless stator, dyn. perform. characts. effects. Vyas, R., +, *T-EC Jun 94* 413-419

salient pole, damper winding slot ripples. Matsuki, J., +, *T-EC Mar 94* 126-134

squirrel cage motor noise/vibr., radial forces studies. Verma, S.P., +, *T-EC Jun 94* 404-412

sync. generators, damper windings phenom., syst. oscills. Matsuki, J., +, *T-EC Jun 94* 376-382

sync. machine power systs., params. ident., broadband excitations. Beya, K., +, *T-EC Jun 94* 270-280

sync. machine windingless rotors, eccentricity detect. method. Hsu, J.S., +, *T-EC Sep 94* 564-571

turbogenerator PD insulation tests, EMI insensitive. Campbell, S.R., +, *T-EC Jun 94* 281-287

Steam generation

thermal power station drum-type boiler following control. Cheres, E., +, *T-EC Mar 94* 199-205

Storage batteries;

 cf. Batteries

Substations

sync. machines, short-cct. tests, phenomenological models. Kamwa, I., +, *T-EC Mar 94* 85-97

Substations;

 cf. HVDC substations

Subsynchronous resonance

damping, SMES, freq.- and time-domain effectiveness eval. Wang, L., +, *T-EC Dec 94* 770-777

Superconducting magnets, energy storage

small units, cost reduction estim. Schoenung, S.M., +, *T-EC Jun 94* 231-237

subsynchronous reson. damping, SMES, freq.- and time-domain effectiveness eval. Wang, L., +, *T-EC Dec 94* 770-777

synchronous generator damping improvement SMES. Rahim, A.H.M.A., +, *T-EC Dec 94* 736-742

Superconducting rotating machines

10 MVA supercond. sync. generator air-gap armature winding tests. Kirtley, J.L., +, *T-EC Jun 94* 349-358

Switched circuits;

 cf. Commutated circuits

Switches/switchgear

induction motor drives, vector control hysteresis current controller. Ting-Yu Chang, +, *T-EC Jun 94* 297-303

self excited induction generator feeding induction motor. Shridhar, L., +, *T-EC Jun 94* 390-396

Switches/switchgear;

 cf. Circuit breakers

Switching circuits

motor drive invertors, bus clamped space vector modulation. Jobing, R., +, *T-EC Jun 94* 344-348

SRM drives, dyn. perform. prediction, computer-based. Arkadan, A.A., +, *T-EC Mar 94* 36-44

Synchronous capacitors

sync. machines, short-cct. tests, phenomenological models. Kamwa, I., +, *T-EC Mar 94* 85-97

Synchronous generator excitation

stabil./excit. loss, neural-network-based pattern class. Scharaf, A.M., +, *T-EC Dec 94* 753-759

Synchronous generator excitation;

 cf. Power generation control, excitation

Synchronous generators

10 MVA supercond. sync. generator air-gap armature winding tests. Kirtley, J.L., +, *T-EC Jun 94* 349-358

asphalt-mica stator insulation, remaining service life estim. Timperley, J.E., +, *T-EC Dec 94* 686-694

automatic voltage regulator, fuzzy control design. Hasan, A.R., +, *T-EC Sep 94* 550-557

damper windings phenom., syst. oscills. Matsuki, J., +, *T-EC* 376-382

high-order model ident. method. Keyhani, A., +, *T-EC Sep 94* 593

power syst. sync. generator param. estim., online meas.

Chiang-Tsung Huang, +, *T-EC Jun 94* 330-336

power syst. sync. generator param. estim., soln. algm. Jin-Cheng +, *T-EC Jun 94* 337-343

salient pole, damper winding slot ripples. Matsuki, J., +, *T-EC* 126-134

Synchronous generators;

 cf. Turbogenerators

Synchronous generator stability

damping improvement SMES. Rahim, A.H.M.A., +, *T-EC Dec 94* 736-742

stabil./excit. loss, neural-network-based pattern class. Scharaf, A.M., +, *T-EC Dec 94* 753-759

Synchronous generator transient analysis

double-star sync. generator, bridge rectified output, perform. Xing-Yuan Li, +, *T-EC Sep 94* 613-619

Synchronous machines

doubly fed sync. machine models, 2-step 3-time scale reduction. Li, N., +, *T-EC Mar 94* 77-84

max. likelihood param. est. Keyhani, A., +, *T-EC Mar 94* 98-114

power systs., params. ident., broadband excitations. Beya, K., +, *T-EC Jun 94* 270-280

PSS, inverse input/output mapped ANN. Zhang, Y., +, *T-EC* 433-441

salient-pole sync. machines, eccentric/shorted field coil detect. Hsu, J.S., +, *T-EC Sep 94* 572-578

saturated, equiv. cct. anal. Xiao, Y., +, *T-EC Dec 94* 717-723

saturated salient pole sync. machines, reluctance distrib. mod. Gordon, C., +, *T-EC Jun 94* 323-329

short-cct. tests, phenomenological models. Kamwa, I., +, *T-EC* 85-97

windingless rotors, eccentricity detect. method. Hsu, J.S., +, *T-EC* 564-571

Synchronous motor drives;

 cf. Reluctance motor drives

Synchronous motors

converter- and line-fed variable-speed drive, damper-winding rotor-iron currents. Vetter, W., +, *T-EC Dec 94* 709-716

Synchronous motors;

 cf. Linear synchronous motors; Reluctance motors

System availability;

 cf. Availability

System identification

brushless DC motor drives, ident./control, ANN. El-Sharkawi, M., +, *T-EC Jun 94* 317-322

System identification;

 cf. Parameter identification; Power system identification

T

Testing; cf. Automatic testing; Power system testing; Rotating-machine testing

Thermal factors; cf. Rotating-machine thermal factors

Thermal power generation

drum-type boiler following control. Cheres, E., +, *T-EC Mar 94* 199-205

Thermal power generation;

 cf. Nuclear power generation...

Thyristor converters

WECS, elec. utility asynchronous DC link control. Hilloowala, R., +, *T-EC Sep 94* 558-563

Time-domain analysis

subsynchronous reson. damping, SMES, freq.- and time-domain effectiveness eval. Wang, L., +, *T-EC Dec 94* 770-777

synchronous machines, saturated, equiv. cct. anal. Xiao, Y., +, *T-EC Dec 94* 717-723

sync. machine, max. likelihood param. est. Keyhani, A., +, *T-EC* 98-114

Torque control

induction motor drives, fixed struct. discrete-time sliding mode control. Pan, C.-T., +, *T-EC Dec 94* 645-651

Transfer function matrices

power syst. sync. generator param. estim., online meas. Chiang-Tsung Huang, +, *T-EC Jun 94* 330-336

Transformers;

 cf. Power transformers

Transforms;

 cf. Fourier transforms; Laplace transforms

Transient analysis;

 cf. Power system transients; Rotating-machine transient analysis

Transient stability;

 cf. Power system stability, transient

Transmission lines;

 cf. Power transmission lines

Tuning

adaptive hydrogenerator generator governor tuning, genetic algm. Lansberry, J.E., +, *T-EC Mar 94* 179-185

turbines; cf. Hydraulic turbines

turbogenerators

- empirical modeling, equiv. cct. struct. *Kamwa, I.*, +, *T-EC Sep 94* 579-592
- H_{∞} optimal control PSS, robust design. *Asgharian, R.*, *T-EC Sep 94* 475-481
- HVDC link disturbances, steam turbogenerator exciter shaft stresses. *Hammons, T.J.*, +, *T-EC Sep 94* 503-513
- hydroelectric generators, stator thermoset insulation life extension. *Lyles, J.F.*, +, *T-EC Sep 94* 620-627
- hydroelectric generator stator thermoset insulation, monitoring/maint. *Lyles, J.F.*, +, *T-EC Sep 94* 628-635
- PD insulation tests, EMI insensitive. *Campbell, S.R.*, +, *T-EC Jun 94* 281-287
- rotor shorted turn detect., AC flux meas. method. *Woschnagg, E.*, *T-EC Jun 94* 427-431
- thermal power station drum-type boiler following control. *Cheres, E.*, +, *T-EC Mar 94* 199-205

U

universal motors

- capacitor induction motors, simul., EMTP. *Domijan, A., Jr.*, +, *T-EC Sep 94* 535-542

user interfaces; cf. Graphical user interfaces

V

variable-structure systems

- induction motor drives, fixed struct. discrete-time sliding mode controller. *Pan, C.-T.*, +, *T-EC Dec 94* 645-651
- nonlin. variable struct. PSS controller design. *Yijia Cao*, +, *T-EC Sep 94* 489-495

velocity control

- hydrogenerators, speed controller, DSP-based real-time simulator. *Throckmorton, P.J.*, +, *T-EC Jun 94* 238-242

Voltage breakdown; cf. Dielectric breakdown

Voltage control

- brushless DC motor drives, ident./control, ANN. *El-Sharkawi, M.A.*, +, *T-EC Jun 94* 317-322
- induction motor drive, harmonics reduction, voltage controllers. *Czarnecki, L.S.*, +, *T-EC Sep 94* 528-534
- sync. generator automatic voltage regulator, fuzzy control design. *Hasan, A.R.*, +, *T-EC Sep 94* 550-557
- WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563

Voltage measurement

- salient pole, damper winding slot ripples. *Matsuki, J.*, +, *T-EC Mar 94* 126-134

Voltage regulation; cf. Voltage control

W

Waste materials

- liquid CO₂, deep-ocean disposal via clathrate formation, expt. *Kimuro, H.*, +, *T-EC Dec 94* 732-735

Water resources

- DC motor, PV array, power matching, step-up converter. *Alghuwainem, S.M.*, *T-EC Mar 94* 192-198

Wind power generation

- hybrid wind/PV power syst., PV array size optim. *Borowy, B.S.*, +, *T-EC Sep 94* 482-488
- induction generators, unbalanced grid voltages. *Ghorashi, A.H.*, +, *T-EC Jun 94* 217-223
- village electrification, hybrid renewable energy syst. *Gutierrez-Vera, J.*, *T-EC Sep 94* 442-450
- WECS, elec. utility asynchronous DC link control. *Hilloowala, R.M.*, +, *T-EC Sep 94* 558-563
- wind/diesel energy syst. perform., prob. eval. *Saramourtsis, A.C.*, +, *T-EC Dec 94* 743-752
- wind/diesel power plant, robust control and anal. *Uhlen, K.*, +, *T-EC Dec 94* 701-708

32

AS THE TWENTY-FIRST
CENTURY
APPROACHES, THE
TECHNOLOGIES OF
ELECTRICAL
ENGINEERING,
ELECTRONICS, AND
COMPUTING ARE
REDEFINING AND
REDESIGNING OUR
WORLD. THE 92
QUALITY JOURNALS
AND MAGAZINES IN
IEEE'S PACKAGE IS
THE CORE COLLECTION
IN THESE FIELDS FOR
LIBRARIES. AS CERTI-
FIED BY THE 1992
JOURNAL CITATION
REPORT OF ISI (THE
MOST RECENT EDITION)
IEEE PERIODICALS
REMAIN THE MOST-
CITED PERIODICALS
IN THEIR RESPECTIVE
FIELDS.

INTRODUCING THE 1995 IEEE ALL-SOCIETY PERIODICALS PACKAGE

WHERE TECHNOLOGY IS EXPLODING TO SERVE MANKIND

Our All-Society Periodicals Package Brings You These Major Benefits:

► CORE COLLECTION IN THE FIELD

IEEE periodicals cover every aspect of electrical engineering, electronics and computing completely and authoritatively. By subscribing to the All-Society Periodicals Package, you'll maintain the core collection of your library by receiving the major work in the field.

► GET OVER 1/3 FREE

The 1995 Package costs \$11,995 for our 92 top periodicals. If you subscribed to each one individually, you'd pay \$20,106. That's a savings of \$8,111 or over one-third!

► FREE 1995 INDEX

With our All-Society Package you'll get the new 1995 two-volume *Index to IEEE Publications* — a value of over \$500 — free.



SUBSCRIBE TO THE
IEEE PACKAGE...

AND GET OVER
1/3 OF THEM FREE!

For a free brochure or to order
call toll-free in the U.S.:

1-800-701-IEEE
(1-908-981-0060 outside the U.S.)

or fax:

1-908-981-9667



THE INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, INC.
445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331 U.S.A.